

## PRIMTAL WF



Activador inmunológico efecto “Priming” para el control de la mosca blanca (White Fly-Bemisia tabaci) y otros insectos chupadores.

Aplicación vía radicular y/o foliar.

Dosis generales de aplicación:

- Foliar: 1 - 1,5 l/ha y aplicación
- Radicular: 1,5 - 2,5 l/ha y aplicación

Frecuencia de aplicación:

- Hortícolas: 7-10 días
- Frutales: 10-15 días

---

## PRIMTAL RS

Activador inmunológico efecto “Priming” para el control de la araña roja (Red Spider - Tetranychus urticae) y otros ácaros.

Aplicación vía radicular y/o foliar.

Dosis generales de aplicación:

- Hortícolas
- Radicular: 2,5 - 3 l/ha y aplicación
- Frecuencia de aplicación: 7-10 días

- Frutales

- Radicular: 2,5-5 l/ha y aplicación
- Frecuencia de aplicación: 15-20 días



---

## PRIMTAL FG



Activador inmunológico efecto “Priming” para el control de la botrytis (Botrytis cinerea) y otros hongos (FunGus).

Aplicación vía radicular y/o foliar.

Dosis generales de aplicación:

- Foliar: 2 - 2,5 l/ha y aplicación
- Radicular: 2,5 - 3 l/ha y aplicación

## PRIMTAL WF



Immunological Activator "Priming" effect for the control of White Fly (*Bemisia tabaci*) and different sucking insects.

Both radicular and foliar application.

General application rates:

- Foliar: 1 - 1,5 l/ha and application
- Radicular: 1,5 - 2,5 l/ha and application

Application frequency:

- Vegetables: 7-10 days
- Fruit trees: 10-15 days

---

## PRIMTAL RS

Immunological Activator "Priming" effect for the control of Red Spider (*Tetranychus urticae*) and various mites.

Radicular application.

General application rates:

- Vegetables  
Radicular: 2,5 - 3 l/ha and application  
Application frequency: 7-10 days

- Fruit Trees

- Radicular: 2,5-5 l/ha and application  
Application frequency: 15-20 days



---

## PRIMTAL FG



Immunological Activator "Priming" effect for the control of Botrytis (*Botrytis cinerea*) and different fungus species.

Both radicular and foliar application.

General application rates:

- Foliar: 2 - 2,5 l/ha and application
  - Radicular: 2,5 - 3 l/ha and application
- Application frequency: 7-10 days